

# MID1CR



Product family Taps
Material Brass
Swivelling spout Yes
Swivelling spout rotation 180 °



### **Aesthetics**



**Aesthetic** Universale Handshower Extractable Colour Chrome Jet type Single jet **Finishing** Glossy **Aerator** Yes Spout type Flexible hoses number L spout Tap type Single lever

### **Technical Features**





Characteristics ESC, WSC Max
Flexible hoses lenght 400 mm Mini
Flexible hoses 3/8 " Opt
connection Wat

Ceramic disc cartridge  $35 \, \emptyset$ 

type


Non-return valve Yes

Maximum pressure5 barMinimum pressure1 barOptimal pressure3 barWater production (I/min)12 ITap hole diameter35 mm

### **Logistic Information**

Product height (mm) 325 mm







# Not included accessories

### STABMIX



Tap stabiliser



## Symbols glossary (TT)



ESC: with the ESC Energy Saving Cartridge system the control lever positioned in the middle dispenses only cold water, and not 50% of hot and 50% of c



WSC: with the WSC Water Saving Cartridge the control lever stops halfway, causing 50% of the water (sufficient for normal cooking activities) to be di



Swivel spout rotation 180°



The extractable handshower allows to increase the range of action of the tap and it is extremely versatile, practical and comfortable.