

LZ862P

Sink material	Composite
Type	Composite sink
No. of bowls	2
EAN code	8017709183240



Aesthetics



Aesthetic	Universale	Logo	Applied/on overflow
Serie	Rigae	Alternative colours available	White, Anthracite, Beige, Copper, Cemento / Concrete
Colour	Cream	Tap hole / precut tap hole	Prepared
Building in type	Standard		

	Bowl type RH	Bowl dimensions, WxDxH (mm)	Bowl depth (mm)	Radius corner right bowl (mm)	Overflow	Strainer position	Strainer dimension
RH Bowl	Traditional	371 x 420 x 210	210	80	Yes, traditional	Side bowl	3.5"
LH Bowl	Traditional	371 x 420 x210	210	80		Side bowl	3.5"

Technical Features




Characteristics composite material	Antibacterial, Anti-scratch , Termal schock resistant, High temperatures resistant, Impact resistant, Easy to clean, UV Resistant	Base unit size	90 cm
Frame depth (mm)	10	Tap hole	2
Dimensions of the product (mm)	210x860x500 mm	Tap hole diameter	35 mm
		Dividing wall width	38 mm
		No. of clips	8
		Type of clips	Standard

Cutout dimension topmount (mm)	840 X 480 mm
Undermount cutout radius	30 mm
Height from kitchen top	10 mm

Accessories Included

Accessories for installation	Strainer, Savespace siphon with dishwasher outlet connection, Fixing clips
---------------------------------	--



Not included accessories



KITFD050

Waste disposal 0,5 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



KITFD100

Waste disposal 1 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



KITDSQ











Soap dispenser chrome finishing with square knob 40x40 mm



KITFD075

Waste disposal 0,75 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet

Symbols glossary (TT)

	Cupboard width required for sink installation		Sink depth - depending on the model, the depth can be from 13 to 24,5
	Standard installation: Traditional installation in tabletop, suitable for any kitchen sets		Antibacterial
	Antiscratch		Thermal shock resistant
	High temperatures resistant		Impact resistant
	Easy to clean		UV protection, does not fade over time.