

CPF120IGMPR

Cooker size

N. of cavities with energy label

Cavity heat source

Hob type

Type of main oven
Type of second oven

Cleaning system main oven

EAN code

Energy efficiency class

Energy efficiency class, second cavity

120x60 cm

2

ELECTRICITY

Mixed

Thermo-ventilated

Thermo-ventilated

Pyrolitic

8017709286095

A+ A



Aesthetics



Aesthetic Portofino
Colour Red
Design Flush fit

Door With frame

Upstand Yes
Type of pan stands Cast Iron

Hob colour Stainless steel
Command panel finish Enamelled metal

Control knobs Smeg Portofino
Controls colour Stainless steel

Display Touch

No. of controls 11 Serigraphy colour Black

Handle Smeg Portofino

Handle Colour coloured
Glass type Black
Plinth Black
Storage compartment Drawer
Sliding compartment Yes

ogo Assembled st/steel

Logo position Facia below the oven

Programme / Functions

No. of cooking functions Traditional cooking functions

Æ

Fan assisted

(%)

Circulaire

®

Turbo

Static

ECO

Eco

Small grill

·--·

Large grill

3

Fan grill (large)

₹

Fan assisted bottom

SMEG SPA 15/10/2023

9



Cleaning functions



Programs / Functions Auxiliary Oven

Cooking functions cavity 2

8

Traditional cooking functions, cavity 2

Static

Fan assisted

Circulaire

Eco

Large grill

Fan grill (large)

Fan-assisted bottom

Cooking functions with Direct Steam technology



Fan forced (circular heating + fan)

Cleaning functions cavity 2

Vapor clean

Hob technical features







Total no. of cook zones 6

Centrale sinistra - Gas - 2UR (dual) - 4.20 kW

Front centre - Gas - Semi Rapid - 1.80 kW

Rear centre - Gas - Rapid - 3.00 kW

Front right - Induction - multizone - 2.10 kW - Booster 2.30 kW - 21.1x19.1 cm

Rear right - Induction - multizone - 1.60 kW - Booster 1.85 kW - 21.0x19.0 cm

Central - Teppanyaki - 1.40 kW

Type of gas burners Yes Standard Automatic pan detection Yes

Automatic electronic ignition Minimum pan diameter Yes

indication **Burner caps** Matt black enamelled

Selected zone indicator Yes Automatic switch off Yes when overheat Residual heat indicator Yes

Main Oven Technical Features





















No. of lights 2

Fan number Net volume of the cavity 701

SMEG SPA 15/10/2023

Total no. of door glasses 4



Gross volume, 1st cavity 791

Cavity material Ever Clean enamel

No. of shelves

Type of shelves Metal racks Light type Halogen **Light Power** 40 W

Cooking time setting Start and Stop

Light when oven door is

open

Door opening Flap down

Removable door Yes Full glass inner door Yes Removable inner door Yes No.of thermo-reflective 3

door glasses

Safety Thermostat Yes Heating suspended Yes

when door is opened

Cooling system **Tangential**

Door Lock During Yes

Pyrolisis

Usable cavity space 360X460X425 mm

dimensions (HxWxD)

Electro-mechanical Temperature control

Lower heating element 1200 W

power

Upper heating element - 1000 W

Power

Grill elememt 1700 W Large grill - Power 2700 W Circular heating element 2000 W

- Power

Grill type Electric Soft Close system Yes

Options Main Oven

Timer Minimum Temperature 50 °C Yes End of cooking acoustic Maximum temperature 280 °C

Second Oven Technical Features



alarm





















Net volume of the second cavity

79 I Gross volume, 2nd

cavity

Cavity material Ever Clean enamel

No. of shelves 5

Type of shelves Metal racks

No. of lights 2

Light type Halogen **Light Power** 40 W

Cooking time setting Start and Stop

Light when oven door is

open

Door opening Flap down

Removable door Yes Full glass inner door Yes Removable inner door Yes 3 No. total door glasses

No. thermo-reflective

door glasses

Safety Thermostat Yes Heating suspended Yes

when door is opened

Cooling system **Tangential**

Usable cavity space dimensions (HxWxD)

Temperature control Electro-mechanical

2

360X460X425 mm

Lower heating element - 1200 W

power

Upper heating element - 1000 W

Power

Grill element - power 1700 W Large grill - Power 2700 W Circular heating element 2000 W

- Power

Grill type Electric Tilting grill Yes



Soft Close system Yes

Options Auxiliary Oven

Timer Yes Minimum Temperature 50 °C End of cooking acoustic Yes Maximum temperature 260 °C

alarm

Accessories included for Main Oven & Hob

Rack with back and side 1 Grill mesh 1 stop Telescopic Guide rails, 1

20mm deep tray 1 total Extraction
40mm deep tray 1 Meat Probe 1

Accessories included for Secondary Oven

installed

Rack with back and side 1 Grill mesh 1 stop Telescopic Guide rails, 1


20mm deep tray 1 total Extraction 40mm deep tray 1

Electrical Connection

Electrical connection 10900 W Cable testing Yes, Single phase rating Additional connection Yes, Double and Thr

Yes, Double and Three Additional connection Current 32 A modalities Phase 220-240 V 50/60 Hz Voltage Frequency Voltage 2 (V) 380-415 V Terminal block 5 poles Type of electric cable Yes, Single phase







Not included accessories

AIRFRY

Air fryer rack AIRFRY . Ideal for recreating traditional frying in the oven, but with fewer calories and less fat. It allows you to cook quickly and simply dishes such as French fries, fried vegetables and fish, ensuring perfect browning and crispiness.



Partially extractable telescopic guides (1 level), suitable for traditional ovens. Made in stainless steel, they guarantee stability and facilitate the smooth extraction of the trays.



Teflon-coated tray, 8mm depth, to be placed on the grid

GRILLPLATE

Universal griddle for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking meat, cheese and vegetables. Dimensions: 410 x 240 mm.

BN620-1

Enamelled tray suitable for 45cm and 60cm ovens. Depth 20 mm. Perfect for a wide range of savoury and sweet baking.



Non-scratch hob scraper - suitable for induction and ceramic hobs

KITH95CPF120

Height extension kit (950 mm), suitable for 120cm Portofino cookers (940-960mm)



Child lock



PRTX

Refractary pizza stone with handles. D=35cm Not suitable for microwave ovens. Suitable for gas ovens, to be put on the griddle.

KITP65CPF120

Depth extension kit (650mm), black, suitable for 120cm Portofino cookers

WOKGHU

Cast iron WOK Support

KIT1CPF120X

Splashback, 120cm, stainless steel, suitable for Portofino cookers



BGTR4110

Cast iron grill plate suitable for Victoria Cookers TR4110


вво

Double sided plate BBQ. Suitable for recreating succulent and crispy dishes in the oven with the typical taste of grilled cooking. The ribbed side is particularly suitable for meats and cheeses. The smooth side for fish, seafood and vegetables.

15/10/2023



SMEG SPA





TPKPLATE



Universal plate for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking fish, eggs and vegetables. Dimensions: 410 X 240 mm.



PALPZ

Pizza shovel with folding handle. Dimensions L31.5 x H32.5 cm. Easy and convenient to use and store. Perfect for serving pizza, bread and savory pastries in a safe and professional way.





Totally extractable telescopic guides (1 level), suitable for traditional ovens. Made in stainless steel, they guarantee stability and facilitate the smooth extraction of the trays.



BN640

Enamelled tray suitable for 45cm and 60cm ovens. Depth 540 mm. Perfect for cooking and roasting meat and fish in sauces. Also ideal for experimenting with lighter and crunchy side dishes

SMOLD



Set of 7 silicone moulds for ice creams, ice lollies, pralines, ice cubes or to portion food. Usable from -60°C to +230°C



Alternative products



CPF120IGMPX



CPF120IGMPBL



CPF120IGMPWH



CPF120IGMPT



Symbols glossary (TT)

A: Product drying performance, measured from A+++ to D / G depending on the product family



A+: Energy efficiency class A+ helps to save up to 10% energy compared to class A. Maximum performance with minimum consumption is quaranteed.



Heavy duty cast iron pan stands: for maximum stability and strength.



Air cooling system: to ensure a safe surface temperatures.



A DIRECT STEAM oven has 1 steam cooking function to which the user can MANUALLY add steam. The function is activated when the user turns the function



Triple glazed doors: Number of glazed doors.



Quadruple glazed: Number of glazed doors.



ECO-logic: option allows you to restrict the power limit of the appliance real energy saving.



Ever Clean Enamel: Ever Clean enamel is applied electrostatically, corner to corner and edge to edge to prevent cracking or cracks over time. It is a particular pyrolytic enamel, resistant to acids which, in addition to being pleasantly bright, promotes greater cleaning of the oven walls, thanks to its lower porosity. It is baked at over 850 °C and slowly polymerized at a scientifically determined rate to ensure uniform depth and strength Ever Clean enamel creates an impeccable finish both on the inside of the oven and on the trays, making the surfaces of the oven incredibly easy to maintain over time as it reduces the adhesion of fat during cooking



Fan assisted base: the mix of fan and lower heating element alone allows to finish cooking foods already cooked on the surface but not internally more quickly. This system is recommended to finish cooking foods that are already well cooked on the surface, but not internally, which therefore require a moderate higher heat. Ideal for any type of food.



Fan assisted: Intense and homogeneous traditional cooking, also suitable for complex recipes. The fan is active and the heat comes from below and from above at the same time. Ventilated cooking ensures a faster and more homogeneous result, leaving fragrant foods outside and moister inside. Ideal for baked pasta, biscuits, roasts and cobblers.



Static: Traditional cooking suitable for the preparation of one dish at a time. The fan is not active and the heat comes from below and from above at the same time. Static cooking is slower and more delicate, ideal in order to get well cooked and dry dishes even inside. Ideal for cooking all types of roasts, fatty meats, bread, filled cakes.



Circulaire: it is the perfect function for cooking all types of dishes in a more delicate way. The heat comes from the back of the oven and is distributed quickly and evenly The fan is active. It is also ideal for cooking on multiple levels without mixing smells and flavors.



ECO: low energy consumption cooking: this function is particularly suitable for cooking on a single shelf with low energy consumption. It is recommended for all types of food except those that can generate a lot of moisture (for example vegetables). To achieve maximum energy savings and reduce time, it is recommended to put the food in the oven without preheating the cooking compartment



Grill: Very intense heat coming only from above from a double heating element. The fan is not active. Provides excellent grilling and gratinating results. Used at the end of cooking, it gives a uniform browning to dishes.



Half grill: For rapid cooking and browning of foods. Best results can be obtained by using the top shelf for small items, the lower shelves for larger ones, such as chops or sausages. For half grill heat is generated only at the centre of the element, so is ideal for smaller quantities.





Fan grill: very intense heat coming only from above from a double heating element The fan is active. It allows the optimal grilling of thickest meats. Ideal for large cuts of meat.



Turbo: the heat comes from 3 directions: above, below and from the back of the oven The fan is active. It allows quick cooking, even on several shelves without mixing the aromas. Ideal for large volumes or foods that require intense cooking.



Circulaire pulsed steam: Provides extra moisture to food during cooking. Excellent for bread baking. The moisture allows the bread dough to stretch further at the beginning of cooking, creating an aerated and light textured dough. The remaining part of the cooking process allows for the signature crust to form.



Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.



All glass inner door: All glass inner door, a single flat surface which is simple to keep clean.



The inner door glass: can be removed with a few quick movements for cleaning.



Side lights: Two opposing side lights increase visibility inside the oven.



PYROLYSIS - AUTOMATIC CLEANING FUNCTION: the oven heats up to a temperature approaching 500 °C and chars grease and food residues into a fine ash that can be easily wiped off with a damp cloth. At such a high temperature, the door locks automatically for safety, while the temperature of the door remains controlled so it is safe to touch User adjustable function based on the level of dirt present in the oven.



Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.



The oven cavity has 5 different cooking levels.



Soft close: all models are equipped with advanced function of smooth closing of the door, which allows the device to close smoothly and quietly.



Telescopic rails: allow you to pull out the dish and check it without having to remove it from the oven entirely.



Electronic control: Allows you to maintain temperature inside the oven with the precision 2-3 °C. This enables to cook meals that are very sensitive to temperature changes, such as cakes, souffles, puddings.



Tilting grill: the tilting grill can be easily unhooked to move the heating element and clean the roof of the appliance in one simple step.



Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power.



Vapor Clean: a simple cleaning function using steam to loosen deposits in the oven cavity.



The capacity indicates the amount of usable space in the oven cavity in litres.



The capacity indicates the amount of usable space in the oven cavity in litres.