


PGF32C



Product Family
Built-in type
Dimensions
Power supply
Type
EAN code

Hob
Ultra-low profile
30 cm
Electric
Ceramic
8017709138035



Aesthetics



Aesthetic	Classica
Finishing	Glass
Material	Glass
Glass type	Ceramic
Frame	Yes
Frame colour	Stainless Steel
Type of control setting	Control knobs
Control knob position	Front
No. of controls	2
Controls colour	Steel effect

Programme / Functions

Total no. of cook zones	2
No. of ceramic cook zones	2
Power levels	9

Options

Worktop Cut-Out	494x292 mm
-----------------	------------

Technical Features




Front-centre - Ceramic - Single - 1.20 kW - Ø 14.0 cm

Rear-centre - Ceramic - Single - 1.80 kW - Ø 18.0 cm

Residual heat indicator Yes

Electrical Connection

Electrical connection rating (W)	3000 W	Frequency (Hz)	50/60 Hz
Current	13 A	Power supply cable length	120 cm
Voltage (V)	220-240 V		



Not included accessories



LGPGF-1

Aluminium connecting strip for PGF



SCRP





Non-scratch hob scraper - suitable for induction and ceramic hobs

6MP1PGF

6 Linea knobs for PGF hobs



Symbols glossary (TT)

- | | | | |
|--|--|---|---|
|  | Ultra-low profile: Installation of product with flat edge - height of 1 mm. |  | Knobs control |
|  | Glass ceramic: The base of the hob is made glass ceramic. Heating is performed by the heating elements Hi-Light. |  | Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out. |