

TR93IGR2

Cooker size

N. of cavities with energy label

Cavity heat source

Hob type

Type of main oven
Type of second oven

Cleaning system main oven

EAN code

Energy efficiency class

Energy efficiency class, second cavity

90x60 cm

2

ELECTRICITY

Induction

Thermo-ventilated

Thermo-ventilated

Vapor Clean

8017709312398

A B



Aesthetics

Aesthetic Victoria

Colour Slate Grey
Finishing Glossy
Design Victoria

Door With frame

Upstand Yes

Hob colour
Command panel finish
Control knobs
Controls colour

Black enamel
Enamelled metal
Smeg Victoria
Stainless steel

Display

Colour of buttons
No. of controls
Serigraphy colour

Handle

Logo

5

.

Handle Colour

Glass type Plinth

Logo position

electronic 5 buttons

Black 9 Black

Smeg Victoria

Brushed stainless steel

Black
Anthracite
assembled 50's

Upstand+ Command panel

Programme / Functions

No. of cooking functions
Traditional cooking functions

 \Box

Static



Fan assisted



Circulaire

ECO E

Eco



Fan assisted bottom

Cleaning functions



Vapor clean

Other functions



Defrost by time



Programs / Functions Auxiliary Oven

Cooking functions cavity 2 Traditional cooking functions, cavity 2 1



Circulaire

Programs / Functions Third Oven

No. of functions third oven

Oven light

Full grill



Hob technical features



Total no. of cook zones 5

Front left - Induction - single - 2.30 kW - Booster 3.00 kW - - Ø 21.0 cm

Rear left - Induction - single - 1.40 kW - - Ø 18.0 cm

Central - Induction - single - 2.30 kW - Booster 3.00 kW - - Ø 27.0 cm

Rear right - Induction - single - 1.40 kW - - Ø 18.0 cm

Front right - Induction - single - 2.30 kW - Booster 3.00 kW - - Ø 21.0 cm

Automatic switch off

when overheat

Yes Minimum pan diameter

indication

Yes Selected zone indicator Yes Automatic pan

detection

Main Oven Technical Features



















Start and Stop

Side opening



No. of lights Fan number

Net volume of the cavity 61 l Gross volume, 1st cavity 70 l

Cavity material Ever Clean enamel

No. of shelves

Type of shelves Metal racks

Light type Halogen

Light Power 40 W

Door opening

Cooking time setting

Side opening door Yes Removable door Yes

Removable inner door

Total no. of door glasses 3 No.of thermo-reflective

door glasses

Safety Thermostat

Usable cavity space

316x460x412 mm

dimensions (HxWxD)

Electro-mechanical Temperature control

1200 W

Yes

Yes

Lower heating element power

Upper heating element - 1000 W

Power

1700 W Grill elememt Large grill - Power 2700 W



Full glass inner door Yes Circular heating element 2000 W

- Power

Grill type Electric
Tilting grill Yes

1

Yes

Options Main Oven

Timer Yes Minimum Temperature 50 °C End of cooking acoustic Yes Maximum temperature 245 °C

alarm

Second Oven Technical Features

Fan number 1 Removable door Yes
Net volume of the 62 l Full glass inner door Yes
second cavity Removable inner door Yes
Gross volume, 2nd 69 l No. total door glasses 1

cavity No. thermo-reflective

Cavity material Ever Clean enamel door glasses

No. of shelves 9 Safety Thermostat Yes

Type of shelves Metal racks Cooling system Tangential

No. of lights 1 Usable cavity space 605x275x370 mm

Light type Halogen dimensions (HxWxD)

Light Power 40 W Temperature control Electro-mechanical

Door opening Side opening **Circular heating element** 2500 W

Side opening door Yes - Power

Options Auxiliary Oven

Minimum Temperature 50 °C Maximum temperature 245 °C

Third Oven Technical Features

Net volume, 3rd cavity

Cavity material Ever Clean enamel door glasses

36 I

No. of shelves 2 Safety Thermostat Yes

Type of shelves Metal racks Cooling system Tangential

No. of lights 1 Usable cavity space 169x440x443 mm Light type Halogen dimensions (HxWxD)

Removable inner door

Light Power 40 W Temperature control Electro-mechanical

Door openingFlap downLarge grill - Power2700 WRemovable doorYesGrill typeElectricFull glass inner doorYesTilting grillYes



Options Third Oven

Minimum Temperature 50 °C Maximum temperature 260 °C

Accessories included for Main Oven & Hob

Rack with back and side 2 Grill mesh 1 stop Telescopic Guide rails, 1

40mm deep tray 1 partial Extraction

Accessories included for Secondary Oven

Oven grid with back 4 Plate rack/warmer 1 stop

Accessories included for Third Oven

Rack with back and side 1 40mm deep tray 1 stop

Electrical Connection

Electrical connection 15000 W Power supply cable 150 cm

rating


Current 42 A Additional connection Yes, Double and Three

length

Voltage220-240 VmodalitiesPhaseVoltage 2 (V)380-415 VFrequency50 HzType of electric cableYes, Single phaseTerminal block5 poles

installed







Not included accessories

KIT600TR93



Cover strip for hob back side, suitable for TR93 Victoria cookers



KITP65TR93

Depth extension kit (650 mm), nero, suitable for TR93 cookers



SFLK1





GTP

Partially extractable telescopic guides (1 level), suitable for traditional ovens. Made in stainless steel, they guarantee stability and facilitate the smooth extraction of the trays.



PRTX

Refractary pizza stone with handles. D=35cm Not suitable for microwave ovens. Suitable for gas ovens, to be put on the griddle.



BNP608T

Teflon-coated tray, 8mm depth, to be placed on the grid



GRILLPLATE

Universal griddle for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking meat, cheese and vegetables. Dimensions: 410 x 240 mm.



KIT1TR9N

Splashback black, 90cm ,suitable for TR90 and TR93 Victoria cookers



BN620-1

Enamelled tray suitable for 45cm and 60cm ovens. Depth 20 mm. Perfect for a wide range of savoury and sweet baking.



SCRP

Non-scratch hob scraper - suitable for induction and ceramic hobs



KITH93

Height extension kit (950mm), black, suitable for TR93 cookers (945-960mm)



GT1P-2

Partially extractable telescopic guides (1 level) for ovens with metal frames. Length: 355.5 mm, extraction: 285 mm. Material: Stainless steel AISI 430 polished.



TPKPLATE

Universal plate for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking fish, eggs and vegetables. Dimensions: 410 X 240 mm.



PALPZ

Pizza shovel with folding handle. Dimensions L31.5 x H32.5 cm. Easy and convenient to use and store. Perfect for serving pizza, bread and savory pastries in a safe and professional way.



GTT



Totally extractable telescopic guides (1 level), suitable for traditional ovens. Made in stainless steel, they guarantee stability and facilitate the smooth extraction of the trays.

BN640

Enamelled tray suitable for 45cm and 60cm ovens. Depth 540 mm. Perfect for cooking and roasting meat and fish in sauces. Also ideal for experimenting with lighter and crunchy side dishes

SMOLD



Set of 7 silicone moulds for ice creams, ice lollies, pralines, ice cubes or to portion food. Usable from -60°C to +230°C



Symbols glossary (TT)



Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.



Air cooling system: to ensure a safe surface temperatures.



Defrost by time: Manual defrost function. At the end of the set duration, the function stops.



Triple glazed doors: Number of glazed doors.



ECO-logic: option allows you to restrict the power limit of the appliance real energy saving.



A: Product drying performance, measured from A+++ to D / G depending on the product family



B: Product energy rating, measured from A+++ to D / G depending on the product family.



Ever Clean Enamel: Ever Clean enamel is applied electrostatically, corner to corner and edge to edge to prevent cracking or cracks over time. It is a particular pyrolytic enamel, resistant to acids which, in addition to being pleasantly bright, promotes greater cleaning of the oven walls, thanks to its lower porosity. It is baked at over 850 °C and slowly polymerized at a scientifically determined rate to ensure uniform depth and strength Ever Clean enamel creates an impeccable finish both on the inside of the oven and on the trays, making the surfaces of the oven incredibly easy to maintain over time as it reduces the adhesion of fat during cooking



Fan assisted base: the mix of fan and lower heating element alone allows to finish cooking foods already cooked on the surface but not internally more quickly. This system is recommended to finish cooking foods that are already well cooked on the surface, but not internally, which therefore require a moderate higher heat. Ideal for any type of food.



Fan assisted: Intense and homogeneous traditional cooking, also suitable for complex recipes. The fan is active and the heat comes from below and from above at the same time. Ventilated cooking ensures a faster and more homogeneous result, leaving fragrant foods outside and moister inside. Ideal for baked pasta, biscuits, roasts and cobblers.



Static: Traditional cooking suitable for the preparation of one dish at a time. The fan is not active and the heat comes from below and from above at the same time. Static cooking is slower and more delicate, ideal in order to get well cooked and dry dishes even inside. Ideal for cooking all types of roasts, fatty meats, bread, filled cakes.



Circulaire: it is the perfect function for cooking all types of dishes in a more delicate way. The heat comes from the back of the oven and is distributed quickly and evenly The fan is active. It is also ideal for cooking on multiple levels without mixing smells and flavors.



ECO: low energy consumption cooking: this function is particularly suitable for cooking on a single shelf with low energy consumption. It is recommended for all types of food except those that can generate a lot of moisture (for example vegetables). To achieve maximum energy savings and reduce time, it is recommended to put the food in the oven without preheating the cooking compartment



Grill element: Using of grill gives excellent results when cooking meat of medium and small portions, especially when combined with a rotisserie (where possible). Also ideal for cooking sausages and bacon.



Light



Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.





Induction: The work of these hobs is based on the principle of electromagnetic induction. The heat is generated directly in the bottom of the pan during its contact with the hob.



All glass inner door: All glass inner door, a single flat surface which is simple to keep clean.



The inner door glass: can be removed with a few quick movements for cleaning.



Side lights: Two opposing side lights increase visibility inside the oven.



Plate rack warming: function for heating or keeping dishes warm. Place the baking tray on the lowest shelf and stack the dishes to be heated.



The oven cavity has 2 different cooking levels.



The oven cavity has 4 different cooking levels.



The oven cavity has 9 different cooking levels.



Telescopic rails: allow you to pull out the dish and check it without having to remove it from the oven entirely.



Electronic control: Allows you to maintain temperature inside the oven with the precision 2-3 °C. This enables to cook meals that are very sensitive to temperature changes, such as cakes, souffles, puddings.



Tilting grill: the tilting grill can be easily unhooked to move the heating element and clean the roof of the appliance in one simple step.



Vapor Clean: a simple cleaning function using steam to loosen deposits in the oven cavity.



The capacity indicates the amount of usable space in the oven cavity in litres.



The capacity indicates the amount of usable space in the oven cavity in litres.



The capacity indicates the amount of usable space in the oven cavity in litres.