

VZ45N

Composite Sink material Composite bowl Type

No. of bowls

EAN code 8017709311704



Aesthetics

Aesthetic Universale On overflow Logo

Serie Quadra Alternative colours White, Cream, Beige, available Cemento / Concrete, EXTRA Colour Black White, EXTRA Black Standard

Building in type Tap hole / precut tap Prepared

hole

Bowl Bowl dimensions, Bowl depth Radius Strainer Strainer Overflow WxDxH (mm) dimension type (mm) corner bowl position Wall Minimum Yes, Bowl 400 x 400 x 210 210 5 3.5" radius traditional position

Technical Features













Characteristics composite material

Antibacterial, Anti-scratch, Termal schock resistant, High temperatures

resistant, Impact resistant, Easy to clean, UV Resistant

210x470x500 mm

Tap hole 1 35 mm Tap hole diameter No. of clips 4

Type of clips Standard

Dimensions of the product (mm)

topmount (mm)

450 X 480 mm **Cutout dimension**

Height from kitchen top 10 mm

SMEG SPA 23/8/2023




Base unit size

45 cm

Accessories Included

Accessories for installation

Strainer, Savespace siphon with dishwasher outlet connection, Fixing clips



SMEG SPA 23/8/2023



Not included accessories



KITFD050

Waste disposal 0,5 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



COL36

St/steel colander for MINIMUM radius bowls, measures 370 x 410 x 30 mm



KITFD100

Waste disposal 1 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



COL19H

St/Steel colander to fit MINIMUM radius mm bowl, measures 200 x 410 x 100 mm



COL19

St/Steel colander to fit MINIMUM radius mm bowl, measures 200 x 410 x 26 mm



KITDSQ

Soap dispenser chrome finishing with square knob 40x40 mm



CB25MN

Single HPE chopping board to fit minimum radius bowls, black matt, measures 250 x 410 H 12 mm, dishwasher safe



KITFD075

Waste disposal 0,75 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



DBSINT34

St/steel drain basket to fit STD radius composite sinks 340 x 400 mm bowl, 180 mm depth



COLPTX

Draining rack base 300 x 185 x 82



CB28QU

Single HPL chopping board for miminum radius, oak, measures 280 x 418 H 12 mm

SMEG SPA 23/8/2023



Symbols glossary (TT)

3

Antibacterial



Cupboard width required for sink installation



Standard installation: Traditional installation in tabletop, suitable for any kitchen sets



Termal schock resistant



Impact resistant



Antiscratch



Sink depth - depending on the model, the depth can be from 13 to 24,5



Easy to clean



High temperatures resistant



UV protection, does not fade over time.

SMEG SPA 23/8/2023