CVI329X3

Installation	Built-in
Built-In Niche	60 cm
Defrost	Automatic
Cooling type	Fan assisted
Hinge type	Variable hinge
Hinge position	Right
Reversible door	Yes

Wine cellar compartment features

Number of fixed shelves	1
Number of removable shelves	2
No. of lights	2
Shelves material	Wood
Removable shelves on telescopic guide rails	Yes
Type of internal light	LED
Air filter	Activated charcoal filter

Programs / Functions

Control setting	Touch control	**Control lock**	Yes
Controls	Inner, in the cellar compartment	**Lighting forced ON**	In a maximum period
		Fan forced ON	Yes
Display	LED	**Temperature Alarm**	Yes
Functions display	Temperature alarm, Temperature value	**Door open alarm**	Yes
Power on lamp	Yes		

Technical Features

Adjustable temperature zones	2	**Number of compressors**	1
		Compressor type	Low vibration compressor
		Refrigerant gas type	R600a

Independent cooling systems	1	**Refrigerant Quantity (gr)**	20 g
		Foam agent	Cyclopentane
Number of door glasses	2	**Metal panel on the back of the fridge**	Metal
Temperature range	5-20 °C		
Type of temperature control	Electronic		
Anti-UV door glass	Yes		
Integrated heating element	Yes		

Performance / Energy Label NEW

![G energy label]

Annual energy consumption	140 KWh/year	**Sum of the volumes of the chill compartment(s) and the unfrozen compartment(s)**	79 l
Energy efficiency class	G		
Airborne acoustical noise emission class	C	**Climatic class**	SN, N, ST
Total volume	79 l	**EEI**	170 %

Electrical Connection

Plug	(F;E) Schuko	**Voltage (V)**	220-240 V
Nominal power	40 W	**Frequency (Hz)**	50 Hz
Current	0.4 A	**Power supply cable length**	150 cm

Symbols glossary

The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.

Energy efficiency class G

Ventilated: Forced distribution of cold air in the refrigerator compartment, which allows even temperature distribution within the fridge.

Touch controls: Easy to use touch controls allow the appliance to be programmed at the touch of a button.

LED display: to show programmes, functions and options selected and the time to the end of the cycle.

A: Product drying performance, measured from A+++ to D / G depending on the product family

LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.