

# S06604S4PNR







Category 60cm **Product Family** Oven Vitality system Yes Power supply Electric Electric **Heat source** Cooking method Combi Steam Steam technology Steam 100 pro 10-100% Steam range

Cleaning system
EAN code



## **Aesthetics**

Aesthetics Dolce Stil Novo
Colour Black
Finishing Gloss
Design Flat
Component finish Copper
Material Glass

Glass Type Door Handle Handle Colour Logo

Full glass Dolce Stil Novo Black

Applied

**Eclipse** 

### **Controls**



Display name
Display technology
Control setting

VivoScreen TFT

Advanced full touch

Vapor Clean

8017709304553

No. of display languages

Display languages

20

Italiano, English (UK), Français (FR), Français (CA), Nederlands, Español (ES), Español (MX), Português (PT), Svenska, Русский, Deutsch (DE), Dansk, Norsk, Polski, English (AU), Suomi, Ukrainian, Kazakh, Afrikaans (ZA),

Zulu (ZA)

# **Programme / Functions**

No. of cooking functions 20 Automatic programmes 150

Steam assisted levels 3 + manual



Customisable recipes Traditional cooking functions	10					
Static	<b>₹</b> Fan assisted	Ciculaire				
<b>®</b>						
Turbo (circulaire + bottom + upper +	ECO ECO	Large grill				
fan)						
Fan grill (large)	Base	© Circulaire + bottom				
Pizza						
Cooking functions with pulsed ste	eam					
Fan assisted	& Circulaire	Circulaire + Bottom + Fan				
<b>©</b> 3						
Turbo (circulaire + bottom + upper +	ş Fan Grill					
fan)						
Cooking functions with steam						
(a) Manual steam	Steam + bottom + upper + fan	Steam + circulaire + fan				
Circulaire + Bottom + Fan	Warming and re-generation	Sous Vide				
Other Steam functions						
Tank cleaning	✓ Water outlet	Water input				
Descaling						
Other functions						
Defrost by time	Defrost by weight	Proving				
Stone cooking	BBQ	Air-Fry				
Keep warm	Plate rack/warmer	Sabbath				
Cleaning functions						
Vapor Clean						

# **Options**



















Time-setting options

Delay start and automatic end cooking

Minute minder Yes Timer 1

Other options Keep warm, Eco light, Language setting, Digital clock display, Tones, Tones

volume, Brightness

Cooking with probe thermometer

Smart cooking Yes SameTime Yes

DeltaT cooking Yes Showroom demo option Yes Demo-tutorial mode Yes Touch guide Yes

History Yes, the last 10 functions

utilised

Yes Rapid pre-heating Instant GO Yes

## **Technical Features**















Electronic

30°C

1200 W







Temperature control Minimum Temperature Maximum temperature

280°C Cavity material Easy clean enamel

Shelf positions

Shelves type Metal racks

No. of lights Halogen Light type 40 W Light power Light when door is Yes

opened

Lower heating element

power

2700 W Large grill - Power Circular heating element 2000 W

- Power

Door opening type Standard opening Door Temperate door

Door Fresh Touch

Yes Removable door Full glass inner door Yes Removable inner door Yes Total no. of door glasses 3 Soft Close hinges Yes Soft Open Yes Safety Thermostat Yes Heating suspended Yes

when door is opened

Cooling system Centrifugal Cooling duct Double

Water loading Fill&Hide 2, automatic

Tank capacity 2 I

353x470x401 mm Usable cavity space dimensions (HxWxD)

## Performance / Energy Label





**Energy efficiency class** Net volume of the cavity 68 litres Energy consumption per 0.92 KWh

cycle in conventional

mode

GAS - Energy 3.31 MJ

consumption in conventional mode GAS - Energy 1.84 MJ

consumption in forced air convection

Energy consumption per 0.51 KWh

cycle in fan-forced

convection

**Number of cavities** Energy efficiency index 60.7 %

### Accessories Included







Premium rack 1 St/steel perforated deep 1


Enamelled deep tray 1 tray (40mm)

(50mm) Telescopic Guide rails,
Grill mesh 1 total Extraction

St/steel tray (20mm) 1 Temperature probe Yes, multipoint

## **Electrical Connection**

Voltage 220-240 ∨ Current 13 A Nominal power (W) 3000 W Frequency (Hz) 50/60 Hz Power supply cable 115 cm length





### Not included accessories

#### PR3845X



Antifingerprint stainless steel. Cover for furniture in column installation of more ovens



#### GT1P-2

Partially extractable telescopic guides (1 level) for ovens with metal frames. Length: 355.5 mm, extraction: 285 mm. Material: Stainless steel AISI 430 polished.





Totally extractable telescopic guides (1 level) for ovens with metal frames. Length: 355.5 mm, extraction: 418.5 mm. Material: Stainless steel AISI 430 polished.



#### **PRTX**

Refractary pizza stone with handles. D=35cm Not suitable for microwave ovens. Suitable for gas ovens, to be put on the griddle.



#### **PALPZ**

Pizza shovel with fold away handle width: 315mm length: 325mm



BN620-1

Enamelled tray, 20mm deep



#### **BN640**

Enamelled tray, 40mm deep



#### BX640

Stainless steel tray for steam oven, H40xW455xD176 mm



#### ET50

Enamelled tray, 50mm deep



## GTP2

**ET20** 



Partially extractable telescopic guides

(1 level), suitable for traditional ovens.

Made in stainless steel, they guarantee

stability and facilitate the smooth

extraction of the trays.

Enamelled tray, 20mm deep



#### GTTV2



Totally extractable telescopic guides (1 level), suitable for steam ovens. Made in stainless steel, they guarantee stability and facilitate the smooth extraction of the trays.



#### BX640PL




Stainless steel perforated tray. To cook many types of vegetables, fish, white meats, ravioli or other varieties of stuffed pasta, preserving all the vitamins and mineral salts for a richer, fuller and natural flavour





Air fryer rack AIRFRY . Ideal for recreating traditional frying in the oven, but with fewer calories and less fat. It allows you to cook quickly and simply dishes such as French fries, fried vegetables and fish, ensuring perfect browning and crispiness.

### BBQ





# Symbols alossary

Syn	ymbols glossary				
A** >	A++: Energy efficiency class A++ helps to save up to 20% energy compared to class A. Maximum performance with minimum consumption is guaranteed.	8	Combination steam: ovens can be used either as a steam oven, or as a traditional oven, or alternatively the two methods can be combined.		
***	Defrost by time: with this function the time of thawing of foods are determined automatically.	*	Defrost by weight: With this function the defrosting time is determined		
힌	Descaling function: Is essential to remove excess deposits of limestone in the tank and allow the proper operation of the product. The need to perform this operation is signaled by the product itself.	3	Triple glazed doors: Number of glazed doors.		
100 100 100 100 100 100 100 100 100 100	Automatic lighting switches off: for greater energy savings, the lighting switches off automatically after one minute from the start of cooking.	Œ	Electric		
	Enamel interior: The enamel interior of all Smeg ovens have a special antacid lining which helps keep the interior clean by reducing the amount of cooking grease adhering to it.	8	Fan with upper and lower elements: The elements combined with the fan aim to provide more uniform heat, a similar method to conventional cooking, so pre-heat is required. Most suitable for items requiring slow cooking methods.		
$\square$	Upper and lower element only: a traditional cooking method best suited for single items located in the centre of the oven. the top pf the oven will always be hottest. Ideal for roast, fruit cakes, bread etc.		Lower heating element only: This function is ideal for foods that require extra base temperature without browning, e.g. pastry dishes, pizza. Also suitable for slow cooking of stews and casseroles.		
<u>®</u>	Circulaire with lower element: The addition of the lower element adds extra heat at the base for food which requires extra cooking.	<b>®</b>	Circulaire: The combination of the fan and circular element around it gives a hot air cooking method. This provides many benefits including no preheat if cook time is more than 20 minutes, no flavour transfer when cooking different foods at the same time, less energy, and shorter cook times. Good for all types of food.		
ECO	ECO: The combination of the grill, fan and lower element is particularly suitable for cooking small quantities of food.	·	Grill element: Using of grill gives excellent results when cooking meat of medium and small portions, especially when combined with a rotisserie (where possible). Also ideal for cooking		

R Fan with grill element: The fan reduces the fierce heat from the grill, providing an excellent method of grilling various foods, chops, steaks, sausages etc. giving even browning and heat distribution, without drying out the food. The top two levels recommended for use, and the lower part of the oven can be used to keep items warm at the same time, an excellent facility when cooking a grilled breakfast. Half grill (centre portion only) is ideal for small quantities of food.

**SMEG SPA** 18/08/2021

sausages and bacon.

Pizza function: The simultaneous operation of

facility when used with the Smeg pizza stone.

three elements ensures an optimum cooking





FUN\_SOUS\_VIDE\_72dpi



Steam cooking: it's a natural way of cooking for any kind of products, from vegetables to desserts, to preserve the nutritional and organoleptic properties of ingredients. Ideal for cooking without fat, to heat up food without drying. Steam is ideal for simultaneous cooking of meals that require different cooking times.



Fan combined with traditional cooking, where heat is generated from above and below, provides uniform heat. Adding the steam function allows the same cooking results in less time.



Circulaire element with steam: Cooking with the simultaneous use of the circular heating element in combination with fan and steam supply.



FUN\_STEAM\_OTHER\_WATER\_IN\_OUT\_72dpi



Reheat: This function can reheat precooked dishes, without becoming dry or hard.



Circulaire with upper and lower elements: The use of the fan with both elements allows food to be cooked quickly and effectively, ideal for large joints that require thorough cooking. It offers a similar result to rotisserie, moving the heat around the food, instead of moving the food itself, enabling any size or shape to be cooked.



Fan with grill with steam assist: For creating a perfectly roasted meat joint. The extra moisture keeps the meat juicy and tender, whilst the heat from the turbo function creates the caramelised flavours we know and love.



Circulaire with steam assist: Provides extra moisture to food during cooking. Excellent for bread baking. The moisture allows the bread dough to stretch further at the beginning of cooking, creating an aerated and light textured dough. The remaining part of the cooking process allows for the signature crust to form.



Circulaire + lower element with steam assist: Ideal for reheating flans and quiches. This function will re-crisp the base, whilst filling will not dry out due to the additional moisture in the cooking cavity.



Circulaire with steam assist: Provides extra moisture to food during cooking. Excellent for bread baking. The moisture allows the bread dough to stretch further at the beginning of cooking, creating an aerated and light textured dough. The remaining part of the cooking process allows for the signature crust to form.



Turbo with steam assist: For creating a perfectly roasted meat joint. The extra moisture keeps the meat juicy and tender, whilst the heat from the turbo function creates the caramelised flavours we know and love.



All glass inner door: All glass inner door, a single flat surface which is simple to keep clean.



The inner door glass: can be removed with a few quick movements for cleaning.



KEEP\_WARM\_72dpi



Side lights: Two opposing side lights increase visibility inside the oven.



Warming up: An option for dish warming and keeping the prepared meals hot.



Cooking with temperature probe: It is possible to display the temperature detected by the probe and set a target temperature that the dish must reach. When the core of the dish reaches the desired temperature, cooking stops



Air at 40°C provides the perfect environment for proving yeast type dough mixes. Simply select the function and place dough in the cavity for allotted



Rapid preheat: The rapid preheat function can be used to reach the selected temperature in just a few minutes.



i	Sabbath: This function allows you to cook food during the Sabbath, the Holiday of rest in the Jewish religion, respecting the precepts. The oven works	(g)	Touch guide: By holding down any symbol for 3 seconds you can get information on its function
<u>.5</u>	The oven cavity has 5 different cooking levels.	•	Smart Cooking System: for the perfect cooking it is simply necessary choosing the kind and the weight of food and the cooking temperature: any other setting will be established automatically.
	Soft close: all models are equipped with advanced function of smooth closing of the door, which allows the device to close smoothly and quietly.	<i>i</i> iii.	To guarantee the optimal functioning of the appliance, it is suggested to carry out the tank cleaning roughly once every 2-3 months.
	Telescopic rails: allow you to pull out the dish and check it without having to remove it from the oven entirely.	٥٢	Electronic control: Allows you to maintain temperature inside the oven with the precision 2-3 ° C. This enables to cook meals that are very sensitive to temperature changes, such as cakes, souffles, puddings.
V	Vapor Clean: a simple cleaning function using steam to loosen deposits in the oven cavity.	68 it	The capacity indicates the amount of usable space in the oven cavity in litres.
VIVO screen		(ŝi	
ííí 🌡		131	
1		(8)	
	Dedicated cooking function for the double sided plate BBQ. Suitable for recreating succulent and crispy dishes in the oven with the typical taste of g		Dedicated cooking function for the Air fryer rack AIRFRY . Ideal for recreating traditional frying in the oven, but with fewer calories and less fat.
	Dedicated cooking function for the rectangular refractory stone PPR2 Dimensions Ideal for cooking pizzas with the same results as a typical wood-fire	PSI	DeltaT cooking The oven automatically sets the cavity temperature to a predefined temperature (named deltaT) higher than the core temperature detected by the probe. When the probe detects an extra degree at the core, the oven automatically increases also its internal temperature by one degree. The oven offers the

SMEG SPA 18/08/2021

possibility to choose between three different

deltaT cooking modes (slow, medium and fast) and to set any desired core temperature. A concentration of technology that makes it

possible to obtain tender, juicy, healthy products

of the highest quality.