

BG91IX2

Cooker size

N. of cavities with energy label

Cavity heat source

Hob type

Type of main oven

Cleaning system main oven

EAN code

Energy efficiency class

90x60 cm

1

ELECTRICITY

Induction

Thermo-ventilated

Vapor Clean 8017709316792

Α



Aesthetics

Aesthetics Classica
Serie Concerto
Colour Stainless steel

Finishing Satin
Design Standard

Design Standard

Door With 2 horizontal strips
Hob colour Stainless steel

Command panel finish Stainless steel

Control knobs Smeg Soft Touch

Controls colour Soft touch black

Display

No. of controls 7

Serigraphy colour Black

Handle Smeg Classic

Handle Colour Brushed stainless steel

Touch

Glass type Stopsol
Feet Silver
Storage compartment Door

Logo Embossed

Logo position Facia below the oven

Programme / Functions

No. of cooking functions Traditional cooking functions

Static

8

Fan assisted

ૠ

Circulaire

ECO

Eco

Small grill

•---

Large grill

(2)

Fan grill (large)

3

Fan assisted bottom

8

Cleaning functions

٧

Vapor clean



Hob options





Control lock Yes
Limited Power Yes

Consumption Mode

Limited Power 3700, 4800, 7400 W Consumption Mode in W

Hob technical features







Total no. of cook zones 5

Front left - Induction - single - 2.30 kW - Booster 3.00 kW - Ø 21.0 cm Rear left - Induction - single - 1.30 kW - Booster 1.40 kW - Ø 18.0 cm Central - Induction - single - 2.30 kW - Booster 3.00 kW - Ø 27.0 cm Rear right - Induction - single - 1.30 kW - Booster 1.40 kW - Ø 18.0 cm Front right - Induction - single - 2.30 kW - Booster 3.00 kW - Ø 21.0 cm

No. of cooking zones 5

with Booster

Automatic switch off Yes

when overheat

Automatic pan

detection

Minimum pan diameter Yes

indication

Selected zone indicator Yes
Residual heat indicator Yes

Main Oven Technical Features













Yes





No. of lights 2
Fan number 2
Net volume of the cavity 115 |
Gross volume, 1st cavity 129 |

Cavity material Ever Clean enamel

No. of shelves 5

Type of shelves Metal racks
Light type Halogen
Light Power 40 W

Cooking time setting Start and Stop

Light when oven door is Yes

open

Door opening Flap down

Removable door Yes
Full glass inner door Yes

Removable inner door Yes
Total no. of door glasses 3
No.of thermo-reflective 2

door glasses

Safety Thermostat Yes

Cooling system Tangential

Usable cavity space

dimensions (HxWxD)

Temperature control Electro-mechanical

371x724x418 mm

1700 W

Lower heating element

power

Upper heating element - 1200 W

Power

Grill elememt 1700 W Large grill - Power 2900 W Circular heating element 2 x 1550 W

- Power

Grill type Electric

Options Main Oven



Timer Yes

End of cooking acoustic Yes

Minimum Temperature 50 °C Maximum temperature 260 °C

Accessories included for Main Oven & Hob

10600 W

Scraper 1
Rack with back and side 1

stop

alarm

20mm deep tray 1

Electrical Connection

Electrical connection

rating

Current 46 A Voltage 220-240 V Voltage 2 (V) Frequency Terminal block 380-415 V 50/60 Hz 5 poles



Not included accessories

KITH900BG91



Plinth, 90cm, three sides, black, suitable for BG91 cookers



SFLK1

Child lock





Partially extractable telescopic guides (1 level), suitable for traditional ovens. Made in stainless steel, they quarantee stability and facilitate the smooth extraction of the trays.



PRTX

Refractary pizza stone with handles. D=35cm Not suitable for microwave ovens. Suitable for gas ovens, to be put on the griddle.



BNP608T

Teflon-coated tray, 8mm depth, to be placed on the grid



GRILLPLATE

Universal griddle for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking meat, cheese and vegetables. Dimensions: 410 x 240 mm.



PPR9



Refractary pizza stone without handles. Squared shaped stone: L64xH2,3xP37,5 cm Suitable also for gas ovens, to be put on the griddle.



KIT600SNL-9

Cover strip for hob back side, depth 60mm, suitable for 90cm single oven Concerto cookers



KIT90X9-1

Splashback, stainless steel, 90cm, for Concerto cookers with single MF or gas oven



KITH95

Height extension feet (950mm), stainless steel, suitable for Concerto cookers (911-966mm)



BN620-1

Enamelled tray suitable for 45cm and 60cm ovens. Depth 20 mm. Perfect for a wide range of savoury and sweet baking.



KITPDQ

Height reduction feet (850mm), stainless steel, for Concerto cookers (850-881mm)



SCRP

Non-scratch hob scraper - suitable for induction and ceramic hobs



GT1P-2

Partially extractable telescopic guides (1 level) for ovens with metal frames. Length: 355.5 mm, extraction: 285 mm. Material: Stainless steel AISI 430 polished.



PALPZ



Pizza shovel with folding handle. Dimensions L31.5 x H32.5 cm. Easy and convenient to use and store. Perfect for serving pizza, bread and savory pastries in a safe and professional way.

TPKPLATE



Universal plate for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking fish, eggs and vegetables. Dimensions: 410 X 240 mm.



GTT



Totally extractable telescopic guides (1 level), suitable for traditional ovens. Made in stainless steel, they guarantee stability and facilitate the smooth extraction of the trays.

BN640

Enamelled tray suitable for 45cm and 60cm ovens. Depth 540 mm. Perfect for cooking and roasting meat and fish in sauces. Also ideal for experimenting with lighter and crunchy side dishes

SMOLD



Set of 7 silicone moulds for ice creams, ice lollies, pralines, ice cubes or to portion food. Usable from -60°C to +230°C



Symbols glossary (TT)



Power booster: option allows the zone to work at full power when very intense cooking is necessary.



Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.



Air cooling system: to ensure a safe surface temperatures.



Triple glazed doors: Number of glazed doors.



ECO-logic: option allows you to restrict the power limit of the appliance real energy saving.



A: Product drying performance, measured from A+++ to D / G depending on the product family



Ever Clean Enamel: Ever Clean enamel is applied electrostatically, corner to corner and edge to edge to prevent cracking or cracks over time. It is a particular pyrolytic enamel, resistant to acids which, in addition to being pleasantly bright, promotes greater cleaning of the oven walls, thanks to its lower porosity. It is baked at over 850 °C and slowly polymerized at a scientifically determined rate to ensure uniform depth and strength Ever Clean enamel creates an impeccable finish both on the inside of the oven and on the trays, making the surfaces of the oven incredibly easy to maintain over time as it reduces the adhesion of fat during cooking



Fan assisted base: the mix of fan and lower heating element alone allows to finish cooking foods already cooked on the surface but not internally more quickly. This system is recommended to finish cooking foods that are already well cooked on the surface, but not internally, which therefore require a moderate higher heat. Ideal for any type of food.



Fan assisted: Intense and homogeneous traditional cooking, also suitable for complex recipes. The fan is active and the heat comes from below and from above at the same time. Ventilated cooking ensures a faster and more homogeneous result, leaving fragrant foods outside and moister inside. Ideal for baked pasta, biscuits, roasts and cobblers.



Static: Traditional cooking suitable for the preparation of one dish at a time. The fan is not active and the heat comes from below and from above at the same time. Static cooking is slower and more delicate, ideal in order to get well cooked and dry dishes even inside. Ideal for cooking all types of roasts, fatty meats, bread, filled cakes.



Circulaire: it is the perfect function for cooking all types of dishes in a more delicate way. The heat comes from the back of the oven and is distributed quickly and evenly The fan is active. It is also ideal for cooking on multiple levels without mixing smells and flavors.



ECO: low energy consumption cooking: this function is particularly suitable for cooking on a single shelf with low energy consumption. It is recommended for all types of food except those that can generate a lot of moisture (for example vegetables). To achieve maximum energy savings and reduce time, it is recommended to put the food in the oven without preheating the cooking compartment



Grill: Very intense heat coming only from above from a double heating element. The fan is not active. Provides excellent grilling and gratinating results. Used at the end of cooking, it gives a uniform browning to dishes.



Half grill: For rapid cooking and browning of foods. Best results can be obtained by using the top shelf for small items, the lower shelves for larger ones, such as chops or sausages. For half grill heat is generated only at the centre of the element, so is ideal for smaller quantities.



Fan grill: very intense heat coming only from above from a double heating element The fan is active. It allows the optimal grilling of thickest meats. Ideal for large cuts of meat.



Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.





Induction: The work of these hobs is based on the principle of electromagnetic induction. The heat is generated directly in the bottom of the pan during its contact with the hob.



All glass inner door: All glass inner door, a single flat surface which is simple to keep clean.



The inner door glass: can be removed with a few quick movements for cleaning.



Side lights: Two opposing side lights increase visibility inside the oven.



Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.



The oven cavity has 5 different cooking levels.



Vapor Clean: a simple cleaning function using steam to loosen deposits in the oven cavity.



The capacity indicates the amount of usable space in the oven cavity in litres.