

CO96GMA9


Cooker size N. of cavities with energy label Cavity heat source Hob type Type of main oven Cleaning system main oven EAN code Energy efficiency class 90x60 cm 1 ELECTRICITY Gas Thermo-ventilated Vapor Clean 8017709309084 A



Aesthetics

Aesthetic	Coloniale	Display	Analogic
Colour	Anthracite	No. of controls	8
Design	Standard	Serigraphy colour	Gold
Door	Full glass	Handle	Smeg Colonial
Upstand	Yes	Handle Colour	Antique brass
Type of pan stands	Cast Iron	Glass type	White
Hob colour	Anthracite	Feet	Black
Command panel finish	Enamelled metal	Storage compartment	Door
Control knobs	Smeg Colonial	Logo	Silk screen
Controls colour	Antique brass	Logo position	Oven door

Programme / Functions





Cleaning functions



Vapor clean

Hob technical features

UR

Total no. of cook zones 6 Front left - Gas - UR - 3.50 kW Rear left - Gas - Semi Rapid - 1.80 kW Front centre - Gas - Rapid - 2.90 kW Rear centre - Gas - AUX - 1.00 kW Rear right - Gas - Semi Rapid - 1.80 kW Front right - Gas - AUX - 1.00 kW Type of gas burners Standard Automatic electronic Yes ignition

Gas safety valves Burner caps

Yes Matt black enamelled

Main Oven Technical Features

1151 📃 <u>.5</u> 🔊 💭			
No. of lights	2	Removable inner door	Yes
Fan number	2	Total no. of door glasses	2
Net volume of the cavity	115	No.of thermo-reflective	1
Gross volume, 1st cavity	1291	door glasses	
Cavity material	Ever Clean enamel	Safety Thermostat	Yes
No. of shelves	5	Cooling system	Tangential
Type of shelves	Metal racks	Usable cavity space	371x724x418 mm
Light type	Halogen	dimensions (HxWxD)	
Light Power	40 W	Temperature control	Electro-mechanical
Cooking time setting	Stop	Lower heating element	1200 W
Light when oven door is open	Yes	power Upper heating element - Power	1000 W
Door opening	Flap down	Grill element	1700 W
	Yes	Large grill - Power	2700 W
	Yes		
		Circular heating element - Power	2 X 1330 W
		Grill type	Electric

Options Main Oven

Timer	Yes	Minimum Temperature	40 °C
End of cooking acoustic	Yes	Maximum temperature	260 °C
alarm			


Accessories included for Main Oven & Hob



Rack with back and side stop	2 1	Grill mesh	1
40mm deep tray	1		

Electrical Connection

Electrical connection rating	3200 W	Type of electric cable installed	Yes, Single phase
Current Voltage	14 A 220-240 V	Power supply cable length	120 cm
Voltage 2 (V)	380-415 V	Frequency	50/60 Hz
		Terminal block	3 poles





Not included accessories

AL90X9



Upstand suitable for 90cm Concert cookers with gas hob and MF oven



SFLK1 Child lock



PRTX

Refractary pizza stone with handles. D=35cm Not suitable for microwave ovens. Suitable for gas ovens, to be put on the griddle.



KIT600SNL-9

Cover strip for hob back side, depth 60mm, suitable for 90cm single oven Concerto cookers



KIT90N9

Splashback black, 90 cm, suitable for BU & BM cookers



KITH95

Height extension feet (950mm), stainless steel, suitable for Concerto cookers (911-966mm)



KITPDQ

Height reduction feet (850mm), stainless steel, for Concerto cookers (850-881mm)



PALPZ

Pizza shovel with folding handle. Dimensions L31.5 x H32.5 cm. Easy and convenient to use and store. Perfect for serving pizza, bread and savory pastries in a safe and professional way.



SMOLD

Set of 7 silicone moulds for ice creams, ice lollies, pralines, ice cubes or to portion food. Usable from -60°C to +230°C



KITH900BG91

Plinth, 90cm, three sides, black, suitable for BG91 cookers

GTP



Partially extractable telescopic guides (1 level), suitable for traditional ovens. Made in stainless steel, they guarantee stability and facilitate the smooth extraction of the trays.

PPR9

Refractary pizza stone without handles. Squared shaped stone: L64xH2,3xP37,5 cm Suitable also for gas ovens, to be put on the griddle.

BG6090-1

Cast iron grill plate suitable for Concerto cookers and BM93-BU93






KIT90X9-1

Splashback, stainless steel, 90cm, for Concerto cookers with single MF or qas oven


PPX6090-1

Stainless steel teppanyaki plate, suitable for Concerto cookers

GT1P-2



GTT











Symbols glossary (TT)



A: Product drying performance, measured from A+++ to D / G depending on the product family

Air cooling system: to ensure a safe surface temperatures.

Ever Clean Enamel: Ever Clean enamel is applied electrostatically, corner to corner and edge to edge to prevent cracking or cracks over time. It is a particular pyrolytic enamel, resistant to acids which, in addition to being pleasantly bright, promotes greater cleaning of the oven walls, thanks to its lower porosity. It is baked at over 850 ° C and slowly polymerized at a scientifically determined rate to ensure uniform depth and strength Ever Clean enamel creates an impeccable finish both on the inside of the oven and on the trays, making the surfaces of the oven incredibly easy to maintain over time as it reduces the adhesion of fat during cooking

Ean assisted: Intense and homogeneous traditional cooking, also suitable for complex recipes. The fan is active and the heat comes from below and from above at the same time. Ventilated cooking ensures a faster and more homogeneous result, leaving fragrant foods outside and moister inside. Ideal for baked pasta, biscuits, roasts and cobblers.

Circulaire: it is the perfect function for cooking all types of dishes in a more delicate way. The heat comes from the back of the oven and is distributed quickly and evenly The fan is active. It is also ideal for cooking on multiple levels without mixing smells and flavors.



Grill: Very intense heat coming only from above from a double heating element. The fan is not active. Provides excellent grilling and gratinating results. Used at the end of cooking, it gives a uniform browning to dishes.



Fan grill: very intense heat coming only from above from a double heating element The fan is active. It allows the optimal grilling of thickest meats. Ideal for large cuts of meat.




The inner door glass: can be removed with a few quick movements for cleaning.



The oven cavity has 5 different cooking levels.

Heavy duty cast iron pan stands: for maximum stability and strength.



Fan assisted base: the mix of fan and lower heating element alone allows to finish cooking foods already cooked on the surface but not internally more quickly. This system is recommended to finish cooking foods that are already well cooked on the surface, but not internally, which therefore require a moderate higher heat. Ideal for any type of food.

- Static: Traditional cooking suitable for the preparation of one dish at a time. The fan is not active and the heat comes from below and from above at the same time. Static cooking is slower and more delicate, ideal in order to get well cooked and dry dishes even inside. Ideal for cooking all types of roasts, fatty meats, bread, filled cakes.
- ECO: low energy consumption cooking: this function is particularly suitable for cooking on a single shelf with low energy consumption. It is recommended for all types of food except those that can generate a lot of moisture (for example vegetables). To achieve maximum energy savings and reduce time, it is recommended to put the food in the oven without preheating the cooking compartment
- Half grill: For rapid cooking and browning of foods. Best results can be obtained by using the top shelf for small items, the lower shelves for larger ones, such as chops or sausages. For half grill heat is generated only at the centre of the element, so is ideal for smaller quantities.



ECO

F#

3

All glass inner door: All glass inner door, a single flat surface which is simple to keep clean.



UR

Side lights: Two opposing side lights increase visibility inside the oven.

Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power.





Vapor Clean: a simple cleaning function using steam to loosen deposits in the oven cavity.



The capacity indicates the amount of usable space in the oven cavity in litres.