

# CVI138RG







**Family** Wine Cooler Installation Built-in 82-87 cm **Built-In Niche Defrost** Automatic Cooling type Fan assisted Hinge type Standard Hinge position Right



## Wine cellar compartment features



Number of fixed shelves 2 3 Number of removable shelves No. of lights 2 Wood Shelves material Removable shelves on telescopic guide rails Yes Type of internal light Led

Air filter Activated charcoal filter

# **Programs/Functions**





Control setting Touch control **Controls** Inner, in the cellar

compartment

Display

**Functions display** Temperature alarm,

Temperature value

Power on lamp

**Control lock** 

Lighting forced ON In a maximum period

Fan forced ON Yes **Temperature Alarm** Yes Door open alarm Yes

#### **Technical Features**

Adjustable temperature 2

zones

Number of compressors

Compressor type

Low vibration compressor

Refrigerant gas type R600a

**SMEG SPA** 3/8/2023



Independent cooling

systems

**Refrigerant Quantity** 20 g

Number of door glasses

5-20 °C Temperature range Type of temperature Electronic

control

Anti-UV door glass Yes Integrated heating Yes

element

(gr)

**HFO** Foam agent Metal panel on the back Metal

of the fridge

Adjustable feet 2 Front + 2 Rear

### Performance / Energy Label NEW 2019

2

G

Annual energy consumption

140 kWh/a

Sum of the volumes of 114 l the chill compartment(s)

and the unfrozen compartment(s)

**Energy efficiency class** G Airborne acoustical noise emission class

С

Total net volume 114 I Climate class SN, N, ST EEI 165 %

Noise level 38 dB(A) re 1pW

#### **Electrical Connection**

Plug **Electrical connection** 

rating


Current

(F;E) Schuko 40 W

0.4 A


Voltage (V) Frequency (Hz) Power supply cable 220-240 V 50 Hz 150 cm


length



95°

605





**SMEG SPA** 3/8/2023



### Symbols glossary (TT)



The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.



Energy efficiency class G



Ventilated: Forced distribution of cold air in the refrigerator compartment, which allows even temperature distribution within the fridge.



Built-in niche



LED display: to show programmes, functions and options selected and the time to the end of the cycle.



A: Product drying performance, measured from A+++ to D / G depending on the product family



LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.



Touch controls: Easy to use touch controls allow the appliance to be programmed at the touch of a button.

SMEG SPA 3/8/2023