

## **SIM6323R**





Product Family Hob
Built-in type Traditional
Dimensions 38 cm
Power supply Electric
Type Induction

**EAN code** 8017709309664



### **Aesthetics**







Aesthetic Dolce Stil Novo

ColourBlackFinishingCopperMaterialGlassGlass typeCeramicGlass edgeStraight edgeType of control settingMulti Slider

SliderYesSliderWhiteControl knob positionFrontSerigraphy colourGrey

## **Programs / Functions**



Total no. of cook zones 2
No. of induction cook zones 2

Time-setting options Automatic Shutdown

No. of cooking zones with booster

No. of Flexible zones

Main on/off switch

Power levels

9

## **Options**

SMEG SPA 17/01/2024



























**Multizone Option** Flexible Zone Type Standard cut out 490x310 mm

**Multizone Option** Yes **Multizone Option** Yes Keep warm automatic Yes

function

**Grill function** Yes End cooking timer 2 Pause option Yes Minute minder 1

Yes End of cooking alarm Residual time indicator MultiZone

**Limited Power Consumption Mode** 

**Limited Power** 2100 a 3700 - step 100 W

Yes

Yes

Advanced Eco Logic

Consumption Mode in W Showroom Demo Option Yes Control Lock / Child Yes

Safety

Bridge option Yes Quick start Yes Rapid level selection Yes

### **Technical Features**













Front-centre - Induction - Multizone - 2.10 kW - Booster 2.50 kW - Double booster 3.00 kW - 24.0x18.0 cm Rear-centre - Induction - Multizone - 2.10 kW - Booster 2.50 kW - Double booster 3.00 kW - 24.0x18.0 cm Multizone center - Booster 3.70 kW - 38.5x23.0 cm

Automatic settina according to pan

dimension

pan detection Yes, min 9 cm

**Permanent Automatic** Pot Detection with indication of the relative control

Automatic switch off when overheat

Yes

Yes

Yes

Automatic switch off Yes

when overflow

Residual heat indicator Yes **Protection against** Yes accidental start up

### **Electrical Connection**

**Electrical connection** 

rating (W)

Current Voltage (V)

16 A 220-240 V

3700 W

Type of electric cable

Frequency (Hz) Power supply cable


length

Single phase

50/60 Hz 120 cm

17/01/2024 **SMEG SPA** 





SMEG SPA 17/01/2024



## Not included accessories

#### **GRILLPLATE**



Universal griddle for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking meat, cheese and vegetables. Dimensions: 410 x 240 mm.





Stainless steel grill plate to cook Teppanyaki dishes



#### **SCRP**

Induction and ceramic hobs and teppanyaki scraper

#### **TPKPLATE**



Universal plate for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking fish, eggs and vegetables. Dimensions: 410 X 240 mm.

SMEG SPA 17/01/2024



# Symbols glossary (TT)

| O              | Automatic merge of zones for a bigger area   | 0               |  |
|----------------|--|-----------------|--|
| P              | Power booster: option allows the zone to work at full power when very intense cooking is necessary.  |                 | Standard installation: Traditional installation in tabletop, suitable for any kitchen sets   |
| 8              | Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.   | MULTI<br>slider | Premium individual Slider control for each zone  |
| 9              | The slider control panel allows you to adjust the power simply by passing your finger across the touch device.   | BOOST           | Additional maximum power level for a better energy consumption   |
| <u>"</u>       | Keep warm function: Keep warm function keeps the cooked food heated. In this mode the heating zone operates at a minimum capacity for 120 minutes and then turns off automatically.  | STOP<br>°C∓     | Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.                            |
|                | Induction: The work of these hobs is based on the principle of electromagnetic induction. The heat is generated directly in the bottom of the pan during its contact with the hob.   | † <del>*</del>  | Multizone: allows several pans to be used at once, large or small, offering freedom of placement and greater flexibility                           |
|                | Overfill protection: The special overfill protection shuts down the stove in the presence of overflow of liquids.  |                 | PAUSE_72dpi  |
| † P 14 10 10 5 | Quick selection, with one touch cooking begins at<br>the highest level, then automatically reduces<br>after time. Ideal for dishes that require quick<br>boiling and then continued cooking without<br>constant control (eg beef broth). | 4               | Quick Start function: the chosen temperature is reached faster. The heating element works at maximum power until the right temperature is reached. |
| Н              | Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.                | <u>O</u>        | Time elapsed: shows how long the cooking zone has been in use.   |
| ()             | Timer: All ceramic hobs have a timer which automatically ends cooking after a preset time.   |                 | TWIN_ZONE_72dpi  |
| Ē              |  | (9cm)           |  |

SMEG SPA 17/01/2024

Darkness becomes light