

FAB30LSV6



Product Family	Refrigerator
Installation	Free Standing
Category	Top Mount
Reference width	Until 60
Reference height	160 - 200
Cooling type	Fan assisted refrigerator, static freezer
Defrost	Manual
Hinge type	Standard
Hinge position	Left
EAN code	8017709356712



Aesthetics

Aesthetics	50's Style	Logo colour	Chrome
Colour	Silver	Side material	Steel
Finishing	Gloss	Side colour	Silver
Design	Rounded	Logo	Applied
Material	Heat-moulded	Door shelves	Chrome
Handle	External	profile colour	Chrome
Handle type	Fixed	Drawers profile	Chrome
Handle colour	Chrome	colour	Chrome
		Colour of glass	Chrome
		shelf profile	
		Colori disponibili	Orange, Pastel blue, White, Blue, Black, Cream, Pink, Red, Silver, Pastel green, Lime green

Refrigerator compartment features



No. of adjustable shelves	2	Type of crisper/vegetable drawers cover	Glass
Number of fruit and vegetables drawers	2	No. of lights	2
Type of adjustable shelves	Glass	Internal light in fridge	Yes
		Type of internal light (fridge)	LED

Type of
crisper/vegetable
drawers cover

Standard

Crisper Cover

Yes

Refrigerator Inner Door

No. of door shelves with
transparent cover

1

Number of adjustable
door shelves

2

Adjustable door shelves
with wire support

Yes

No. of bottle shelves

1

Bottle shelves with wire
support

Yes

Other Refrigerator features



MultiFlow

Yes

Fan

Yes

Freezer compartment features

No. of shelves

1

Type of shelves

Wire

Other technical features



Door open alarm

Type of temperature control

No. of compressors

Refrigerant gas type

Type of compressor

Refrigerant Quantity (gr)

Foam agent

Acoustic and visual

Electronic

1

R600a

Variable Speed Compressor

68 g

Cyclopentane

Performance / Energy Label



Annual energy
consumption

135 KWh/year

Energy efficiency class

C

Airborne acoustical
noise emission class

B

Total volume

294 l

Sum of the volumes of
the frozen
compartment(s)

72 l

Noise level

34 dB(A) re 1 pW

Thaw time

20 h

4 star - Freezing
capacity

4 Kg/24h

Climatic class

SN, N, ST, T



EEL

64 %

Sum of the volumes of the chill compartment(s) and the unfrozen compartment(s) 222 l

Electrical Connection

Plug	(F;E) Schuko	Voltage (V)	220-240 V
Nominal power	100 W	Frequency (Hz)	50/60 Hz
Current	0,8 A	Power supply cable length	180 cm



Symbols glossary



4 stars freezing compartment for better food preservation.



Ventilated: Forced distribution of cold air in the refrigerator compartment, which allows even temperature distribution within the fridge.



Inverter technology: The evolution of Smeg's driers towards more intelligent and environmentally sustainable models has led to the choice of using Inverter technology with heat pumps, which reduces significantly energy consumption.



Energy efficiency class C



A+++: Appliances with this symbol can reduce energy consumption by a further 30% from the standard A energy rating.



LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.



Air plus: keeps food fresher for longer.

Benefit

Refrigerator Internal lighting

Interior lighting for perfect visibility of shelves in the refrigerator compartment

Plastic multiflow system

The Multiflow system ensures even distribution of cold air inside the refrigerator

Fan

The fan contributes to an even distribution of air inside the refrigerator

External handle

The external handle ensures practicality and ease of use of the refrigerator

Fruit and vegetable drawer

The fruit and vegetable drawer ensures the best storage conditions for fresh food, avoiding any contamination

Inverter compressor

Inverter compressor reduces noise and vibration levels for a quiet and comfortable kitchen environment

Inverter compressor technology offers significant advantages for refrigeration systems, improving both performance and efficiency. Better temperature control ensures a more stable and constant indoor environment, preserving the freshness of food. This technology also results in reduced energy consumption, as the compressor adjusts its speed according to cooling needs.

Refrigerant gas R600a

Environmentally friendly R600a refrigerant gas contributes to rapid cooling with lower energy consumption

Climate class

Climatic class SN-T makes the appliance suitable for working at room temperature between 10 °C and 43 °C (50 °F ~ 109 °F)