

# FAB5RCR6



|                  |               |
|------------------|---------------|
| Product Family   | Refrigerator  |
| Installation     | Free Standing |
| Category         | One Door      |
| Reference width  | Until 60      |
| Reference height | Until 100     |
| Cooling type     | Static        |
| Defrost          | Automatic     |
| Hinge type       | Standard      |
| Hinge position   | Right         |
| EAN code         | 8017709349868 |



## Aesthetics

|            |              |               |         |
|------------|--------------|---------------|---------|
| Aesthetics | 50's Style   | Handle type   | Fixed   |
| Colour     | Cream        | Handle colour | Chrome  |
| Finishing  | Gloss        | Logo colour   | Chrome  |
| Design     | Rounded      | Side material | Steel   |
| Material   | Heat-moulded | Side colour   | Cream   |
| Handle     | External     | Logo          | Applied |

## Refrigerator compartment features



|                            |       |                                 |     |
|----------------------------|-------|---------------------------------|-----|
| No. of adjustable shelves  | 2     | Internal light in fridge        | Yes |
| Type of adjustable shelves | Glass | Type of internal light (fridge) | LED |
| No. of lights              | 1     |                                 |     |

## Refrigerator Inner Door

|                                           |     |                                  |     |
|-------------------------------------------|-----|----------------------------------|-----|
| Number of adjustable door shelves         | 1   | No. of bottle shelves            | 1   |
| Adjustable door shelves with wire support | Yes | Bottle shelves with wire support | Yes |

## Other technical features

|                             |            |
|-----------------------------|------------|
| Type of temperature control | Electronic |
|-----------------------------|------------|


|                           |              |
|---------------------------|--------------|
| Refrigerant gas type      | R600a        |
| Type of compressor        | Standard     |
| Refrigerant Quantity (gr) | 19 g         |
| Foam agent                | Cyclopentane |

## Performance / Energy Label

|                                                                                  |             |                                                                                |                  |
|----------------------------------------------------------------------------------|-------------|--------------------------------------------------------------------------------|------------------|
|  |             |                                                                                |                  |
| Annual energy consumption                                                        | 49 KWh/year | Sum of the volumes of the chill compartment(s) and the unfrozen compartment(s) | 34 l             |
| Energy efficiency class                                                          | C           | Noise level                                                                    | 36 dB(A) re 1 pW |
| Airborne acoustical noise emission class                                         | C           | Climatic class                                                                 | SN, N, ST, T     |
| Total volume                                                                     | 34 l        | EER                                                                            | 63 %             |

## Electrical Connection

|               |              |                           |           |
|---------------|--------------|---------------------------|-----------|
| Plug          | (F;E) Schuko | Voltage (V)               | 220-240 V |
| Nominal power | 60 W         | Frequency (Hz)            | 50 Hz     |
| Current       | 0,3 A        | Power supply cable length | 200 cm    |



---

## Compatible Accessories

---

### KITCABLE90UK

Cable with IEC connector and UK plug

---

## Alternative products

---



**FAB5LBL6**



**FAB5LCR6**



**FAB5LOR6**



**FAB5LPB6**



**FAB5LPG6**



**FAB5LPK6**



**FAB5LRD6**



**FAB5LSV6**



**FAB5LWH6**



**FAB5RBL6**



**FAB5RDUJ6**



**FAB5ROR6**



**FAB5RPB6**



**FAB5RPG6**



**FAB5RPK6**



**FAB5RRD6**



**FAB5RSV6**



**FAB5RWH6**

---

## Symbols glossary

---



The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.



Energy efficiency class C



A+++: Appliances with this symbol can reduce energy consumption by a further 30% from the standard A energy rating.



LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.

---

## Benefit

---

### **Refrigerator Internal lighting**

Interior lighting for perfect visibility of shelves in the refrigerator compartment

### **External handle**

The external handle ensures practicality and ease of use of the refrigerator

### **Refrigerant gas R600a**

Environmentally friendly R600a refrigerant gas contributes to rapid cooling with lower energy consumption

### **Climate class**

Climatic class SN-T makes the appliance suitable for working at room temperature between 10 °C and 43 °C (50 °F ~ 109 °F)