

# FAB5RPK6



|                  |               |
|------------------|---------------|
| Product Family   | Refrigerator  |
| Installation     | Free Standing |
| Category         | One Door      |
| Reference width  | Until 60      |
| Reference height | Until 100     |
| Cooling type     | Static        |
| Defrost          | Automatic     |
| Hinge type       | Standard      |
| Hinge position   | Right         |
| EAN code         | 8017709349974 |



## Aesthetics

|               |              |                               |         |
|---------------|--------------|-------------------------------|---------|
| Aesthetics    | 50's Style   | Logo colour                   | Chrome  |
| Colour        | Pink         | Side material                 | Steel   |
| Finishing     | Gloss        | Side colour                   | Pink    |
| Design        | Rounded      | Logo                          | Applied |
| Material      | Heat-moulded | Door shelves profile colour   | Chrome  |
| Handle        | External     | Drawers profile colour        | Chrome  |
| Handle type   | Fixed        | Colour of glass shelf profile | Chrome  |
| Handle colour | Chrome       |                               |         |

## Refrigerator compartment features



|                            |       |                                 |     |
|----------------------------|-------|---------------------------------|-----|
| No. of adjustable shelves  | 2     | Internal light in fridge        | Yes |
| Type of adjustable shelves | Glass | Type of internal light (fridge) | LED |
| No. of lights              | 1     |                                 |     |

## Refrigerator Inner Door

|                                           |     |                                  |     |
|-------------------------------------------|-----|----------------------------------|-----|
| Number of adjustable door shelves         | 1   | No. of bottle shelves            | 1   |
| Adjustable door shelves with wire support | Yes | Bottle shelves with wire support | Yes |

## Other technical features

|                             |              |
|-----------------------------|--------------|
| Type of temperature control | Electronic   |
| Refrigerant gas type        | R600a        |
| Type of compressor          | Standard     |
| Refrigerant Quantity (gr)   | 19 g         |
| Foam agent                  | Cyclopentane |


## Performance / Energy Label



|                                          |             |                                                                                |                  |
|------------------------------------------|-------------|--------------------------------------------------------------------------------|------------------|
| Annual energy consumption                | 49 kWh/year | Sum of the volumes of the chill compartment(s) and the unfrozen compartment(s) | 34 l             |
| Energy efficiency class                  | C           | Noise level                                                                    | 36 dB(A) re 1 pW |
| Airborne acoustical noise emission class | C           | Climatic class                                                                 | SN, N, ST, T     |
| Total volume                             | 34 l        | EI                                                                             | 63 %             |

## Electrical Connection

|               |              |                           |           |
|---------------|--------------|---------------------------|-----------|
| Plug          | (F;E) Schuko | Voltage (V)               | 220-240 V |
| Nominal power | 60 W         | Frequency (Hz)            | 50 Hz     |
| Current       | 0,3 A        | Power supply cable length | 100 cm    |



---

## Compatible Accessories

---

### KITCABLE90UK

Cable with IEC connector and UK plug

## Alternative products



**FAB5LBL6**



**FAB5RBL6**



**FAB5LCR6**



**FAB5RCR6**



**FAB5RDUJ6**



**FAB5LOR6**



**FAB5ROR6**



**FAB5LPB6**



**FAB5RPB6**



**FAB5LPG6**



**FAB5RPG6**



**FAB5LPK6**



**FAB5LRD6**



**FAB5RRD6**



**FAB5LSV6**



**FAB5RSV6**



**FAB5LWH6**



**FAB5RWH6**

---

## Symbols glossary

---



The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.



Energy efficiency class C



A+++: Appliances with this symbol can reduce energy consumption by a further 30% from the standard A energy rating.



LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.

---

## Benefit

---

### **Refrigerator Internal lighting**

Interior lighting for perfect visibility of shelves in the refrigerator compartment

### **External handle**

The external handle ensures practicality and ease of use of the refrigerator

### **Refrigerant gas R600a**

Environmentally friendly R600a refrigerant gas contributes to rapid cooling with lower energy consumption

### **Climate class**

Climatic class SN-T makes the appliance suitable for working at room temperature between 10 °C and 43 °C (50 °F ~ 109 °F)