

TR4110IX2

Cooker size N. of cavities with energy label Cavity heat source Hob type Type of main oven Type of second oven Cleaning system main oven EAN code Energy efficiency class Energy efficiency class, second cavity 110x60 cm 2 ELECTRICITY Induction Thermo-ventilated Fan assisted Vapor Clean 8017709312473 A A



Aesthetics

Aesthetic	Victoria	Colour of buttons	Black
Colour	Stainless steel	No. of controls	10
Finishing	Satin	Serigraphy colour	Black
Design	Victoria	Handle	Smeg Victoria
Door	With frame	Handle Colour	Brushed stainless steel
Upstand	Yes	Glass type	Black
Hob colour	Black enamel	Plinth	Anthracite
Command panel finish	Stainless steel	Storage compartment	Drawer
Control knobs	Smeg Victoria	Logo	assembled 50's
Controls colour	Stainless steel	Logo position	Upstand
Display	electronic 5 buttons		

Programme / Functions






Other functions



Defrost by time

Programs / Functions Auxiliary Oven



Programs / Functions Third Oven

No. of functions third oven	1
Oven light	20:
Full grill	· · · ·

Hob technical features



Total no. of cook zones 5				
Front left - Induction - single	Front left - Induction - single - 2,3 kW - Booster 3 kW Ø 21.0 cm			
Rear left - Induction - single	- 1,3 kW - Booster 1,4 kW -	- Ø 18.0 cm		
Central - Induction - single -	2,3 kW - Booster 3 kW Ø	27.0 cm		
Rear right - Induction - sing	e - 1,3 kW - Booster 1,4 kW	Ø 18.0 cm		
Front right - Induction - single - 2,3 kW - Booster 3 kW Ø 21.0 cm				
Automatic switch offYesMinimum pan diameterYeswhen overheatindication				
Automatic panYesSelected zone indicatorYesdetection				

Main Oven Technical Features

🖭 🧾 🚑 🔊 💭	
No. of lights	1
Fan number	1
Net volume of the cavity	61 I
Gross volume, 1st cavity	70 I
Cavity material	Ever Clean enamel

Removable inner door	Yes
Total no. of door glasses	3
No.of thermo-reflective	1
door glasses	
Safety Thermostat	Yes



No. of shelves	4 Metal racks	Cooling system Usable cavity space	Tangential 316x460x412 mm
Type of shelves Light type	Halogen	dimensions (HxWxD)	51024002412 11111
Light Power	40 W	Temperature control	Electro-mechanical
Cooking time setting Door opening	Start and Stop Side opening	Lower heating element power	1200 W
Side opening door	Yes	Upper heating element - Power	1000 W
Removable door	Yes	Grill elememt	1700 W
Full glass inner door	Yes	Large grill - Power	2700 W
		Circular heating element - Power	2700 W

Grill type

Electric

Options Main Oven

Timer	Yes	Minimum Temperature	50 °C
End of cooking acoustic	Yes	Maximum temperature	260 °C

Second Oven Technical Features

6TR 🖳 🚑 🞺 💭			
Fan number	1	Removable inner door	Yes
Net volume of the	61 I	No. total door glasses	3
second cavity		No. thermo-reflective	1
Gross volume, 2nd	701	door glasses	
cavity		Safety Thermostat	Yes
Cavity material	Ever Clean enamel	Cooling system	Tangential
No. of shelves	4	Usable cavity space	316x444x425 mm
Type of shelves	Metal racks	dimensions (HxWxD)	
No. of lights	1	Temperature control	Electro-mechanical
Light type	Halogen	Lower heating element -	1200 W
Light Power	40 W	power	
Door opening	Side opening	Upper heating element -	1000 W
Side opening door	Yes	Power	
Removable door	Yes	Grill element - power	1700 W
Full glass inner door	Yes	Large grill - Power	2700 W
5		Grill type	Electric
		Tilting grill	Yes

Options Auxiliary Oven

Minimum Temperature 50 °C

Maximum temperature 260 °C

Third Oven Technical Features





Net volume, 3rd cavity	36 I	Removable inner door	Yes
Gross volume, 3rd	41	No. total door glasses	3
cavity		No. of thermo-reflective	1
Cavity material	Ever Clean enamel	door glasses	
No. of shelves	2	Safety Thermostat	Yes
Type of shelves	Metal racks	Cooling system	Tangential
No. of lights	1	Usable cavity space	169x440x443 mm
Light type	Incandescent	dimensions (HxWxD)	
Light Power	25 W	Temperature control	Electro-mechanical
Door opening	Flap down	Large grill - Power	2700 W
Removable door	Yes	Grill type	Electric
Full glass inner door	Yes	Tilting grill	Yes

Options Third Oven

Minimum Temperature	50 °C	Maximum temperature	260 °C
Accessories inclu	ded for Main Oven	& Hob	
Rack with back and side	2	Grill mesh	1
stop 40mm deep tray	1	Telescopic Guide rails, partial Extraction	1

Accessories included for Secondary Oven

Rack with back and side	2	Grill mesh	1
stop 40mm deep tray	1	Telescopic Guide rails, partial Extraction	1


Accessories included for Third Oven

Rack with back and side 1	40mm deep tray	1
stop		

Electrical Connection

Electrical connection rating	16500 W	Power supply cable length	150 cm
Current	46 A	Additional connection	Yes, Double and Three Phase 50 Hz
Voltage	220-240 V	modalities	
Voltage 2 (V)	380-415 V	Frequency	
Type of electric cable installed	Yes, Single phase	Terminal block	5 poles







Not included accessories



KITH4110

Height extension kit (950mm), black, suitable for TR4110 cookers (945-965mm)



SFLK1

Child lock



PRTX

Refractary pizza stone with handles. D=35cm Not suitable for microwave ovens. Suitable for gas ovens, to be put on the griddle.



GRILLPLATE

Universal griddle for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking meat, cheese and vegetables. Dimensions: 410 x 240 mm.



AIRFRY

Air fryer rack AIRFRY . Ideal for recreating traditional frying in the oven, but with fewer calories and less fat. It allows you to cook quickly and simply dishes such as French fries, fried vegetables and fish, ensuring perfect browning and crispiness.

GTP

Partially extractable telescopic guides (1 level), suitable for traditional ovens. Made in stainless steel, they guarantee stability and facilitate the smooth extraction of the trays.

BNP608T

Teflon-coated tray, 8mm depth, to be placed on the grid



KIT1TR41N

Splashback black, 110cm ,suitable for TR4110 Victoria cookers



BN620-1

Enamelled tray suitable for 45cm and 60cm ovens. Depth 20 mm. Perfect for a wide range of savoury and sweet baking.



SCRP

Non-scratch hob scraper - suitable for induction and ceramic hobs



KITP65TR41

Depth extension kit (650 mm), black, suitable for TR4110 cookers

GT1P-2

Partially extractable telescopic guides (1 level) for ovens with metal frames. Length: 355.5 mm, extraction: 285 mm. Material: Stainless steel AISI 430 polished.




KIT600TR4110



Cover strip for hob back side, suitable for TR4110 Victoria cookers

TPKPLATE



BBQ

Double sided plate BBQ. Suitable for recreating succulent and crispy dishes in the oven with the typical taste of grilled cooking. The ribbed side is particularly suitable for meats and cheeses. The smooth side for fish, seafood and vegetables.

PALPZ

Pizza shovel with folding handle. Dimensions L31.5 x H32.5 cm. Easy and convenient to use and store. Perfect for serving pizza, bread and savory pastries in a safe and professional way.

GTT



Totally extractable telescopic guides (1 level), suitable for traditional ovens. Made in stainless steel, they guarantee stability and facilitate the smooth extraction of the trays.



BN640

Enamelled tray suitable for 45cm and 60cm ovens. Depth 540 mm. Perfect for cooking and roasting meat and fish in sauces. Also ideal for experimenting with lighter and crunchy side dishes



SMOLD

Set of 7 silicone moulds for ice creams, ice lollies, pralines, ice cubes or to portion food. Usable from -60°C to +230°C



Symbols glossary (TT)



A: Product drying performance, measured from A+++ to D / G depending on the product family



Air cooling system: to ensure a safe surface temperatures.



Triple glazed doors: Number of glazed doors.

Ever Clean Enamel: Ever Clean enamel is applied electrostatically, corner to corner and edge to edge to prevent cracking or cracks over time. It is a particular pyrolytic enamel, resistant to acids which, in addition to being pleasantly bright, promotes greater cleaning of the oven walls, thanks to its lower porosity. It is baked at over 850 ° C and slowly polymerized at a scientifically determined rate to ensure uniform depth and strength Ever Clean enamel creates an impeccable finish both on the inside of the oven and on the trays, making the surfaces of the oven incredibly easy to maintain over time as it reduces the adhesion of fat during cooking

Fan assisted: Intense and homogeneous traditional cooking, also suitable for complex recipes. The fan is active and the heat comes from below and from above at the same time. Ventilated cooking ensures a faster and more homogeneous result, leaving fragrant foods outside and moister inside. Ideal for baked pasta, biscuits, roasts and cobblers.

Circulaire: it is the perfect function for cooking all types of dishes in a more delicate way. The heat comes from the back of the oven and is distributed quickly and evenly The fan is active. It is also ideal for cooking on multiple levels without mixing smells and flavors.

Grill: Very intense heat coming only from above from a double heating element. The fan is not active. Provides excellent grilling and gratinating results. Used at the end of cooking, it gives a uniform browning to dishes.

Fan grill: very intense heat coming only from above from a double heating element The fan is active. It allows the optimal grilling of thickest meats. Ideal for large cuts of meat. 0

Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.



Defrost by time: Manual defrost function. At the end of the set duration, the function stops.



ECO-logic: option allows you to restrict the power limit of the appliance real energy saving.

Fan assisted base: the mix of fan and lower heating element alone allows to finish cooking foods already cooked on the surface but not internally more quickly. This system is recommended to finish cooking foods that are already well cooked on the surface, but not internally, which therefore require a moderate higher heat. Ideal for any type of food.

-	1
1	-

Static: Traditional cooking suitable for the preparation of one dish at a time. The fan is not active and the heat comes from below and from above at the same time. Static cooking is slower and more delicate, ideal in order to get well cooked and dry dishes even inside. Ideal for cooking all types of roasts, fatty meats, bread, filled cakes.

ECO: low energy consumption cooking: this function is particularly suitable for cooking on a single shelf with low energy consumption. It is recommended for all types of food except those that can generate a lot of moisture (for example vegetables). To achieve maximum energy savings and reduce time, it is recommended to put the food in the oven without preheating the cooking compartment

Grill element: Using of grill gives excellent results when cooking meat of medium and small portions, especially when combined with a rotisserie (where possible). Also ideal for cooking sausages and bacon.



Light

Ľ





STOP °C∓	Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.	€	Induction: The work of these hobs is based on the principle of electromagnetic induction. The heat is generated directly in the bottom of the pan during its contact with the hob.
豆	All glass inner door: All glass inner door, a single flat surface which is simple to keep clean.		The inner door glass: can be removed with a few quick movements for cleaning.
^o	Side lights: Two opposing side lights increase visibility inside the oven.	<u>.2</u>	The oven cavity has 2 different cooking levels.
4	The oven cavity has 4 different cooking levels.		Telescopic rails: allow you to pull out the dish and check it without having to remove it from the oven entirely.
\$	Electronic control: Allows you to maintain temperature inside the oven with the precision 2- 3 ° C. This enables to cook meals that are very sensitive to temperature changes, such as cakes, souffles, puddings.	Ċ	Tilting grill: the tilting grill can be easily unhooked to move the heating element and clean the roof of the appliance in one simple step.
V	Vapor Clean: a simple cleaning function using steam to loosen deposits in the oven cavity.	36 It	The capacity indicates the amount of usable space in the oven cavity in litres.
61 lt	The capacity indicates the amount of usable space in the oven cavity in litres.		