

TR62IBL2

Cooker size 60x60 cm 2

N. of cavities with energy label

Cavity heat source Electric Hob type Induction

Type of main oven Thermo-ventilated

Type of second oven Static

8017709309541 EAN code

Energy efficiency class Energy efficiency class, second cavity Α



Aesthetics

Aesthetics Victoria Display electronic 5 buttons

Black Colour of buttons Black Colour **Finishing** Gloss Black No. of controls 6 Design Victoria Serigraphy colour Silver

Door With frame Handle Smeg Victoria

Upstand Yes **Handle Colour** Brushed stainless steel

Hob colour Black enamel Glass type Black **Enamelled** metal Command panel finish **Plinth** Anthracite Control knobs Smeg Victoria assembled 50's Logo Controls colour Stainless steel Logo position Upstand

Programs / Functions

No. of cooking functions

Traditional cooking functions

Small grill Large grill Static

Base

Hob technical features



Total no. of cook zones 4

SMEG SPA 04/04/2024

4



Front left - Induction - single - 2.30 kW - Booster 3.00 kW - - Ø 21.0 cm

Rear left - Induction - single - 1.20 kW - Booster 1.40 kW - - Ø 16.0 cm Rear right - Induction - giant - 2.30 kW - Booster 3.00 kW - - Ø 21.0 cm Front right - Induction - single - 1.20 kW - Booster 1.40 kW - - Ø 16.0 cm

No. of cooking zones

with Booster

Automatic switch off

when overheat

Yes Automatic pan

detection

Minimum pan diameter

indication

Selected zone indicator Yes Residual heat indicator Yes

Main Oven Technical Features















Yes





No. of lights Fan number 1

Net volume of the cavity 61 litres Gross volume, 1st cavity 70 l

Cavity material Easy clean enamel

Shelf positions

Type of shelves Metal racks Light type Halogen 40 W Light power

Cooking time setting

Start and Stop Flap down

Door opening

Removable door Yes Full glass inner door Yes Removable inner door Yes Total no. of door glasses 3

No.of thermo-reflective

door glasses

Safety Thermostat Yes

Cooling system **Tangential**

Usable cavity space

dimensions (HxWxD)

Temperature control Electro-mechanical

316x460x412 mm

Circular heating element 2700 W

- Power

Options Main Oven

Timer Yes End of cooking acoustic Yes

alarm

Minimum Temperature 50 °C Maximum temperature 245°C

Second Oven Technical Features



















Net volume of the second cavity

Gross volume, 2nd

cavity

Cavity material

Shelf positions

Type of shelves

No. of lights

Light type Light power

Door opening Removable door 35 litres





41 I Easy clean enamel

2 Metal racks

1

Halogen 40 W Flap down Yes

No. total door glasses No. thermo-reflective

door glasses

Safety Thermostat

Cooling system Usable cavity space dimensions (HxWxD)

Temperature control

3

1

Yes

Tangential

169x440x443 mm

Electro-mechanical

Lower heating element - 1200 W

power

Upper heating element - 1000 W

Power



Full glass inner door Removable inner door Yes Yes Grill element - power Large grill - Power

Grill type Tilting grill 1700 W 2700 W Electric

Yes

Options Auxiliary Oven

Minimum Temperature 50 °C Maximum temperature

245 °C

Accessories included for Main Oven & Hob

Rack with back and side 2

40mm deep tray

Grill mesh

Telescopic Guide rails,

total Extraction

1

Accessories included for Secondary Oven

1

Rack with back and side 1

stop

40mm deep tray

Grill mesh

1

Electrical Connection

Max Power Draw

Current

Voltage

Voltage 2 (V)

12700 W 38 A

220-240 V

380-415 V

Type of electric cable

installed

Type of electric cable


Yes, Double and Three Phase

Frequency Terminal block 50/60 Hz

Yes, Single phase

5 poles







Not included accessories



KIT1TR6N

Splashback, 60x75 cm suitable for 60 cm Victoria cookers, black



AIRFRY

Air fryer rack AIRFRY . Ideal for recreating traditional frying in the oven, but with fewer calories and less fat. It allows you to cook quickly and simply dishes such as French fries, fried vegetables and fish, ensuring perfect browning and crispiness.



SFLK1

Child lock



GTP

Partially extractable telescopic guides (1 level) Extraction: 300 mm Material: Stainless steel AISI 430 polished



PRTX

Refractary pizza stone with handles. D=35cm Not suitable for microwave ovens. Suitable for gas ovens, to be put on the griddle.



BNP608T

Teflon-coated tray, 8mm depth, to be placed on the grid



GRILLPLATE

Universal griddle for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking meat, cheese and vegetables. Dimensions: 410 x 240



KITH60

Height extension kit (950 mm), suitable for TR60 cookers



BN620-1

Enamelled tray, 20mm deep



SCRP

Induction and ceramic hobs and teppanyaki scraper



BBQ

Double sided plate BBQ. Suitable for recreating succulent and crispy dishes in the oven with the typical taste of grilled cooking. The ribbed side is particularly suitable for meats and cheeses. The smooth side for fish, seafood and vegetables.



TPKPLATE

Universal plate for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking fish, eggs and vegetables. Dimensions: 410 X 240 mm.



PALPZ

Pizza shovel with fold away handle width: 315mm length: 325mm



GTT

Totally extractable telescopic quides (1 level) Extraction: 433 mm Material: Stainless steel AISI 430 polished







BN640 Enamelled tray, 40mm deep



SMOLD

Set of 7 silicone moulds for ice creams, ice lollies, pralines, ice cubes or to portion food. Usable from -60°C to +230°C



Symbols glossary

1	
1	D)
l.	
_	$\overline{}$

Power booster: option allows the zone to work at full power when very intense cooking is necessary.



Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.



A: Product drying performance, measured from A+++ to D / G depending on the product family



Air cooling system: to ensure a safe surface temperatures.



Triple glazed doors: Number of glazed doors.



ECO-logic: option allows you to restrict the power limit of the appliance real energy saving.



Enamel interior: The enamel interior of all Smeg ovens have a special antacid lining which helps keep the interior clean by reducing the amount of cooking grease adhering to it.



Upper and lower element only: a traditional cooking method best suited for single items located in the centre of the oven. the top pf the oven will always be hottest. Ideal for roast, fruit cakes, bread etc.



Lower heating element only: This function is ideal for foods that require extra base temperature without browning, e.g. pastry dishes, pizza. Also suitable for slow cooking of stews and casseroles.



Grill element: Using of grill gives excellent results when cooking meat of medium and small portions, especially when combined with a rotisserie (where possible). Also ideal for cooking sausages and bacon.



Half grill: For rapid cooking and browning of foods. Best results can be obtained by using the top shelf for small items, the lower shelves for larger ones, such as chops or sausages. For half grill heat is generated only at the centre of the element, so is ideal for smaller quantities.



Giant zone: The giant zone offers extra space and flexibility.



Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.



Induction: The work of these hobs is based on the principle of electromagnetic induction. The heat is generated directly in the bottom of the pan during its contact with the hob.



All glass inner door: All glass inner door, a single flat surface which is simple to keep clean.



The inner door glass: can be removed with a few quick movements for cleaning.



Side lights: Two opposing side lights increase visibility inside the oven.



Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.



The oven cavity has 2 different cooking levels.



The oven cavity has 4 different cooking levels.



Telescopic rails: allow you to pull out the dish and check it without having to remove it from the oven entirely.



Electronic control: Allows you to maintain temperature inside the oven with the precision 2-3 °C. This enables to cook meals that are very sensitive to temperature changes, such as cakes, souffles, puddings.



Tilting grill: the tilting grill can be easily unhooked to move the heating element and clean the roof of the appliance in one simple step.



The capacity indicates the amount of usable space in the oven cavity in litres.





The capacity indicates the amount of usable space in the oven cavity in litres.